

| Export | | | | | | Modifications between previous version | | | | EDMUS Data Entry Field | | | | |
|----------------------|-----------|-----------------------|-----------------|---|--|--|----------|---------------------|--------------|------------------------|----------------------|---------------|--|--|
| Data | File Name | Variable Name | Column Position | Encoding | Comment | New column | Old name | Old column position | Old encoding | Configuration | Panel | Tab | Label | Comment |
| Clinical Assessments | Clinical | Patient ID | 1 | | | | | | | | | | | |
| Clinical Assessments | Clinical | Assessment ID | 2 | | | x | | | | | | | | |
| Clinical Assessments | Clinical | date | 3 | | | | | 2 | | ALL | Clinical Assessments | | Date | |
| Clinical Assessments | Clinical | Clinical phase | 4 | 0 = undef 1 = Relapsing-remitting, MS onset 2 = Relapsing-remitting, subsequent episode 3 = Secondary progressive, non relapsing 4 = Secondary progressive, relapsing 5 = Primary progressive, non relapsing 6 = Primary progressive, relapsing, MS onset 7 = Primary progressive, relapsing | Not editable : calculated field | | | 3 | | PREMIUM / EDEN | Clinical Assessments | General | Location in disease course -> Phase | |
| Clinical Assessments | Clinical | Concurrent relapse | 5 | | | | | 4 | | PREMIUM / EDEN | Clinical Assessments | General | Location in disease course -> Concurrent episode | |
| Clinical Assessments | Clinical | Relapse date | 6 | | | | | 5 | | PREMIUM / EDEN | Clinical Assessments | General | Location in disease course -> Concurrent episode : Yes, episode date : | List box with episode dates (records form "Neurological Episodes" panel) |
| Clinical Assessments | Clinical | Contraception | 7 | | Details about contraception. ATTENTION This field alone is not relevant to say if the patient has or hasn't a contraception: it can be empty even if the patient has a contraception (in this case, it means the user hasn't entered any detail about it). | | | 6 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Contraception | text field |
| Clinical Assessments | Clinical | Psychogenic component | 8 | 0 = Unknown or No 1 = Yes | | | | 7 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Psychogenic component | |
| Clinical Assessments | Clinical | EDSS (entered) | 9 | | | | | 8 | | ALL | Clinical Assessments | General | Scales -> Kurtzke EDSS -> Your opinion | |
| Clinical Assessments | Clinical | EDSS (calc) | 10 | Not editable : calculated field | | | | 9 | | ALL | Clinical Assessments | General | Scales -> Kurtzke EDSS -> Calculated | Not editable |
| Clinical Assessments | Clinical | DSS (entered) | 11 | | | | | 10 | | ALL | Clinical Assessments | General | Scales -> -> Kurtzke DSS (EDMUS GS) -> Your opinion | |
| Clinical Assessments | Clinical | DSS (calc) | 12 | Not editable : calculated field | | | | 11 | | ALL | Clinical Assessments | General | Scales -> Kurtzke DSS (EDMUS GS) -> Calculated | Not editable |

| Export | | | | | | Modifications between previous version | | | | EDMUS Data Entry Field | | | | |
|----------------------|-----------|---------------------|-----------------|---|----------------------------------|--|----------|---------------------|--------------|------------------------|----------------------|------------|--|-----------|
| Data | File Name | Variable Name | Column Position | Encoding | Comment | New column | Old name | Old column position | Old encoding | Configuration | Panel | Tab | Label | Comment |
| Clinical Assessments | Clinical | walking distance | 13 | 0 = ? 1 = Unlimited 2 = Unlimited, minimal signs 3 = Unlimited, minimal disability 4 = Unlimited, unable to run 5 = Limited, > 500 m 6 = 100 - 500 m 7 = 300 - 500 m 8 = 200 - 300 m 9 = 100 - 200 m 10 = 20 - 100 m 11 = < 20 m | | | | 12 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Ambulatory without aid or rest for | |
| Clinical Assessments | Clinical | Autonomy | 14 | 0 = ? 1 = None 2 = Unilateral assistance 3 = Bilateral assistance 4 = wheelchair (transfers alone) 5 = wheelchair (help for transfer) 6 = Chair-restricted, use of arms 7 = Bed-restricted, limited use of arms 8 = Helpless bes patient 9 =Cannot eat/speak | | | | 13 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Loss of autonomy | |
| Clinical Assessments | Clinical | Pyramidal | 15 | | Kurtzke Functional Systems score | | | 14 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Pyramidal | |
| Clinical Assessments | Clinical | Cerebellar | 16 | | Kurtzke Functional Systems score | | | 15 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Cerebellar | |
| Clinical Assessments | Clinical | cerebellar chk | 17 | 0 = Unknown or No 1 = Yes | | | | 16 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Cerebellar | Check box |
| Clinical Assessments | Clinical | Sensory | 18 | | Kurtzke Functional Systems score | | | 17 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Sensory | |
| Clinical Assessments | Clinical | Sphincter | 19 | | Kurtzke Functional Systems score | | | 18 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Sphincter | |
| Clinical Assessments | Clinical | Brainstem | 20 | | Kurtzke Functional Systems score | | | 19 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Brainstem | |
| Clinical Assessments | Clinical | Visual | 21 | | Kurtzke Functional Systems score | | | 20 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Visual | |
| Clinical Assessments | Clinical | Visual chk | 22 | 0 = Unknown or No 1 = Yes | | | | 21 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Visual | Check box |
| Clinical Assessments | Clinical | Mental | 23 | | Kurtzke Functional Systems score | | | 22 | | PREMIUM / LIGHT / EDEN | Clinical Assessments | General | Kurtzke Functional Systems -> Mental | |
| Clinical Assessments | Clinical | Other | 24 | | Kurtzke Functional Systems score | | | 23 | | PREMIUM / EDEN | Clinical Assessments | Other | Other -> Other | |
| Clinical Assessments | Clinical | Timed 25/Trial 1 | 25 | | | | | 24 | | PREMIUM | Clinical Assessments | MSFC Score | Timed 25-Foot walk -> Trial 1 | |
| Clinical Assessments | Clinical | Timed 25/Trial 2 | 26 | | | | | 25 | | PREMIUM | Clinical Assessments | MSFC Score | Timed 25-Foot walk -> Trial 2 | |
| Clinical Assessments | Clinical | 9-HPT/Trial 1 R | 27 | | | | | 26 | | PREMIUM | Clinical Assessments | MSFC Score | 9-Hole Peg Test -> Right -> Trial 1 | |
| Clinical Assessments | Clinical | 9-HPT/Trial 2 R | 28 | | | | | 27 | | PREMIUM | Clinical Assessments | MSFC Score | 9-Hole Peg Test -> Right -> Trial 2 | |
| Clinical Assessments | Clinical | 9-HPT/Trial 1 L | 29 | | | | | 28 | | PREMIUM | Clinical Assessments | MSFC Score | 9-Hole Peg Test -> Left -> Trial 1 | |
| Clinical Assessments | Clinical | 9-HPT/Trial 2 L | 30 | | | | | 29 | | PREMIUM | Clinical Assessments | MSFC Score | 9-Hole Peg Test -> Left -> Trial 2 | |
| Clinical Assessments | Clinical | 9-HPT/Dominant hand | 31 | 0 = Right 1 = Left | | | | 30 | | PREMIUM | Clinical Assessments | MSFC Score | 9-Hole Peg Test -> Dominant hand | |

| Export | | | | | | Modifications between previous version | | | | EDMUS Data Entry Field | | | | |
|----------------------|-----------|---------------------------|-----------------|--|---------|--|----------|---------------------|--------------|-------------------------|----------------------|-------------|--|---------|
| Data | File Name | Variable Name | Column Position | Encoding | Comment | New column | Old name | Old column position | Old encoding | Configuration | Panel | Tab | Label | Comment |
| Clinical Assessments | Clinical | PASAT 3 | 32 | | | | | 31 | | PREMIUM | Clinical Assessments | MSFC Score | 9-Hole Peg Test -> Paced Auditory Serial Addition Test -> PASAT 3s | |
| Clinical Assessments | Clinical | PASAT 2 | 33 | | | | | 32 | | PREMIUM | Clinical Assessments | MSFC Score | 9-Hole Peg Test -> Paced Auditory Serial Addition Test -> PASAT 2s | |
| Clinical Assessments | Clinical | walking difficulties | 34 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 33 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Gait | |
| Clinical Assessments | Clinical | Motor | 35 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 34 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor Dysfunction | |
| Clinical Assessments | Clinical | Motor UE | 36 | 0 = Unknown or No 1 = Yes | | | | 35 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (upper extremities) | |
| Clinical Assessments | Clinical | Motor UE R | 37 | 0 = Unknown or No 1 = Yes | | | | 36 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (upper extremities) -> R | |
| Clinical Assessments | Clinical | Motor UE L | 38 | 0 = Unknown or No 1 = Yes | | | | 37 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (upper extremities) -> L | |
| Clinical Assessments | Clinical | Motor UE Unilateral | 39 | 0 = Unknown or No 1 = Yes | | | | 38 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (upper extremities) -> Unilateral | |
| Clinical Assessments | Clinical | Motor LE | 40 | 0 = Unknown or No 1 = Yes | | | | 39 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (lower extremities) | |
| Clinical Assessments | Clinical | Motor LE R | 41 | 0 = Unknown or No 1 = Yes | | | | 40 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (lower extremities) -> R | |
| Clinical Assessments | Clinical | Motor LE L | 42 | 0 = Unknown or No 1 = Yes | | | | 41 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (lower extremities) -> L | |
| Clinical Assessments | Clinical | Motor LE Unilateral | 43 | 0 = Unknown or No 1 = Yes | | | | 42 | | PREMIUM / EDEN | Clinical Assessments | Motor 1 | Motor (lower extremities) -> Unilateral | |
| Clinical Assessments | Clinical | Sensory abnormality | 44 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 43 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory abnormalities | |
| Clinical Assessments | Clinical | Sensory UE | 45 | 0 = Unknown or No 1 = Yes | | | | 44 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (upper extremities) | |
| Clinical Assessments | Clinical | Sensory UE R | 46 | 0 = Unknown or No 1 = Yes | | | | 45 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (upper extremities) -> R | |
| Clinical Assessments | Clinical | Sensory UE L | 47 | 0 = Unknown or No 1 = Yes | | | | 46 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (upper extremities) -> L | |
| Clinical Assessments | Clinical | Sensory UE Unilateral | 48 | 0 = Unknown or No 1 = Yes | | | | 47 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (upper extremities) -> Unilateral | |
| Clinical Assessments | Clinical | Sensory LE | 49 | 0 = Unknown or No 1 = Yes | | | | 48 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (lower extremities) | |
| Clinical Assessments | Clinical | Sensory LE R | 50 | 0 = Unknown or No 1 = Yes | | | | 49 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (lower extremities) -> R | |
| Clinical Assessments | Clinical | Sensory LE L | 51 | 0 = Unknown or No 1 = Yes | | | | 50 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (lower extremities) -> L | |
| Clinical Assessments | Clinical | Sensory LE Unilateral | 52 | 0 = Unknown or No 1 = Yes | | | | 51 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (lower extremities) -> Unilateral | |
| Clinical Assessments | Clinical | Sensory Trunk | 53 | 0 = Unknown or No 1 = Yes | | | | 52 | | PREMIUM / EDEN | Clinical Assessments | Sensory 1 | Sensory (trunk) | |
| Clinical Assessments | Clinical | Lhermitte sign | 54 | 0 = Unknown or No 1 = Yes | | | | 53 | | PREMIUM / EDEN LIGHT | Clinical Assessments | Sensory 1 | Lhermitte's sign Semiology -> Sensory -> Lhermitte's sign | |
| Clinical Assessments | Clinical | Bladder/bowel dysfunction | 55 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 54 | | PREMIUM / EDEN | Clinical Assessments | Sphincter | Bladder and bowel -> Not done / Normal / Abnormal | |
| Clinical Assessments | Clinical | Sexual dysfunction | 56 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 55 | | PREMIUM / EDEN | Clinical Assessments | Sphincter | Sexual Dysfunction -> Not done / Normal / Abnormal | |
| Clinical Assessments | Clinical | Oculomotor impairment | 57 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 56 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 1 | Oculomotor impairment | |
| Clinical Assessments | Clinical | Vestibular/cochlear | 58 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 57 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 1 | Vestibular / Cochlear | |
| Clinical Assessments | Clinical | Facial motor | 59 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 58 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial motor | |
| Clinical Assessments | Clinical | Facial motor R | 60 | 0 = Unknown or No 1 = Yes | | | | 59 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial motor -> R | |

| Export | | | | | | Modifications between previous version | | | | EDMUS Data Entry Field | | | | |
|----------------------|-----------|-----------------------------------|-----------------|--|---------|--|----------|---------------------|--------------|------------------------|----------------------|---------------|---|---------|
| Data | File Name | Variable Name | Column Position | Encoding | Comment | New column | Old name | Old column position | Old encoding | Configuration | Panel | Tab | Label | Comment |
| Clinical Assessments | Clinical | Facial motor L | 61 | 0 = Unknown or No 1 = Yes | | | | 60 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial motor -> L | |
| Clinical Assessments | Clinical | Facial motor Unilateral | 62 | 0 = Unknown or No 1 = Yes | | | | 61 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial motor -> Unilateral | |
| Clinical Assessments | Clinical | Facial sensory | 63 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 62 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial sensory | |
| Clinical Assessments | Clinical | Facial sensory R | 64 | 0 = Unknown or No 1 = Yes | | | | 63 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial sensory -> R | |
| Clinical Assessments | Clinical | Facial sensory L | 65 | 0 = Unknown or No 1 = Yes | | | | 64 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial sensory -> L | |
| Clinical Assessments | Clinical | Facial sensory Unilateral | 66 | 0 = Unknown or No 1 = Yes | | | | 65 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Facial sensory -> Unilateral | |
| Clinical Assessments | Clinical | Speech/swallowing impairment | 67 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 66 | | PREMIUM / EDEN | Clinical Assessments | Brainstem 2 | Bulbar impairment | |
| Clinical Assessments | Clinical | Optic neuritis | 68 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 67 | | PREMIUM / EDEN | Clinical Assessments | Visual | Optic neuritis -> Not done / Normal / Abnormal | |
| Clinical Assessments | Clinical | Optic neuritis R | 69 | 0 = Unknown or No 1 = Yes | | | | 68 | | PREMIUM / EDEN | Clinical Assessments | Visual | Optic neuritis -> R | |
| Clinical Assessments | Clinical | Optic neuritis L | 70 | 0 = Unknown or No 1 = Yes | | | | 69 | | PREMIUM / EDEN | Clinical Assessments | Visual | Optic neuritis -> L | |
| Clinical Assessments | Clinical | Optic neuritis Unilateral | 71 | 0 = Unknown or No 1 = Yes | | | | 70 | | PREMIUM / EDEN | Clinical Assessments | Visual | Optic neuritis -> U | |
| Clinical Assessments | Clinical | Cognitive dysfunction | 72 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 71 | | PREMIUM / EDEN | Clinical Assessments | Mental | Cognitive -> Not done / Normal / Abnormal | |
| Clinical Assessments | Clinical | Psychiatric symptoms | 73 | 0 = Not done 1 = Normal 2 = Abnormal | | | | 72 | | PREMIUM / EDEN | Clinical Assessments | Mental | Psychiatric -> Not done / Normal / Abnormal | |
| Clinical Assessments | Clinical | Paroxysmal symptoms | 74 | 0 = Unknown or No 1 = Yes | | | | 73 | | PREMIUM / EDEN | Clinical Assessments | Other | Paroxysmal symptoms | |
| Clinical Assessments | Clinical | Intractable hiccup-nausea | 75 | 0 = Unknown or No 1 = Yes | | | | 74 | | PREMIUM / EDEN | Clinical Assessments | Other | Intractable hiccup/Nausea | |
| Clinical Assessments | Clinical | Fatigue | 76 | 0 = Unknown or No 1 = Yes | | | | 75 | | PREMIUM / EDEN | Clinical Assessments | Other | Fatigue | |
| Clinical Assessments | Clinical | Other | 77 | 0 = Unknown or No 1 = Yes | | | | 76 | | PREMIUM / EDEN | Clinical Assessments | Other | Other -> Other | |
| Clinical Assessments | Clinical | Transverse Myelitis | 78 | 0 = Unknown or No 1 = Yes | | | | 77 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Clinical syndrome -> Transverse myelitis | |
| Clinical Assessments | Clinical | Transverse Myelitis Extensive | 79 | 0 = Unknown or No 1 = Yes | | | | 78 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Clinical syndrome -> Transverse myelitis -> Extensive | |
| Clinical Assessments | Clinical | Transverse Myelitis Non Extensive | 80 | 0 = Unknown or No 1 = Yes | | | | 79 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Clinical syndrome -> Transverse myelitis -> Non extensive | |
| Clinical Assessments | Clinical | weight (kg) | 81 | | | | | 81 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | weight | |
| Clinical Assessments | Clinical | weight (lb) | 82 | | | | | 82 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | weight | |
| Clinical Assessments | Clinical | Height (cm) | 83 | | | | | 83 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Height | |
| Clinical Assessments | Clinical | Height (ft) | 84 | | | | | 84 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Height | |
| Clinical Assessments | Clinical | Height (in) | 85 | | | | | 85 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Height | |
| Clinical Assessments | Clinical | Blood pressure (syst) | 86 | | | | | 86 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Blood pressure -> systolic .../ | |
| Clinical Assessments | Clinical | Blood pressure (diast) | 87 | | | | | 87 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Blood pressure -> /...Diastolic | |
| Clinical Assessments | Clinical | Pulse | 88 | | | | | 88 | | PREMIUM / EDEN | Clinical Assessments | Miscellaneous | Pulse | |
| Clinical Assessments | Clinical | Source | 89 | | | | | 89 | | PREMIUM / EDEN | Clinical Assessments | | Source | |